

PIRANHA FACTORY WARRANTY REGISTRATION

TO ACTIVATE FACTORY WARRANTY; PLEASE COMPLETE AND RETURN/FAX THIS REGISTRATION TO PIRANHA

PO BOX 457 HUTCHINSON, KS 67504-0457

FAX: 800 428-3104

COPY THIS REGISTRATION: 1-INSTALLER, 1-CUSTOMER

Mega Mfg. will replace or repair with like parts, either new or rebuilt, F.O.B. the factory, or refund the purchase price for any parts on ironworkers, pressbrakes, or shears, which are defective in materials and workmanship within (12) months of the date of purchase. Provided the buyer returns the warranty registration within (30 days) of the purchase date, and, at the seller's option, returns the defective materials freight and delivery prepaid to the seller, which shall be the buyer's sole remedy for the defective materials. A 5 year warranty against defects in materials and workmanship applies to major structural components on pressbrakes and shears. Seller shall not be liable to purchaser or any other person for consequential or incidental damages. Hydraulic and electrical components are subject to their respective manufacturer's warranties. This warranty does not apply to machines and/or components which have been altered in any way, or subjected to abusive or abnormal use, inadequate maintenance and lubrication, or to use beyond seller recommended capacities and specifications. Seller shall not be liable under any circumstances for labor costs expended on such goods or consequential damages. Seller shall not be liable to purchaser or any other person for loss or damage directly or indirectly arising from the use of the goods or any other cause. No employee, agent, officer, or seller is authorized to make oral representations or warranty of fitness or to waive any of the foregoing terms of sale and none shall be binding on the seller.

PIRANHA PRESS BRAKE

INSTALLATION, TRAINING, ACCEPTANCE AND WARRANTY REGISTRATION

Customer Identification: C	ompany Name:		_					
Address:	City:		_					
State: Zip:	Tel () Fax: ()							
Equipment Identification Model:	Serial #: Install Date:							
CNC Model: Serial #(Cntr. Head/Automec only):								
Serial #(B.G.): Serial #(Scale/Automec only):								
If "no" is indicated, co	nsult factory or explain in comment section on	last page						
Pre-Delivery Inspection	Inspect for shipping damage Damage report Damage claim to carrier Condition acceptable to customer Compare shipment to order/packing list Shipment complete Shortage reported to carrier Damage details:	Y N Y N Y N Y N Y N Y N						
Site Condition	 Steel pads in place (¾"-front-95 Ton Only), ½"-rear Machine leveled and anchored per specification Machine grounded Is press brake on one concrete pad? Is pad free of cracks? 	Y N Y N Y N Y N Y N						
Equipment Preparation	1. Hydraulic oil fill Fluid type per specification in owners manual Fluid volume to specified level Hydraulic pump case filled (if required) Hydraulic pump primed (if required) 2. Electrical power Primary voltage matches machine requirements Primary supply amperage correct per specs. Motor rotation as per direction arrow	Y N Y N Y N Y N Y N Y N						
	3. Cleaning Bed cap surface Die holder Dies Ram, punch clamps Hydraulic cylinder rod Remove tape from components	Y N Y N Y N Y N Y N Y N Y N						

Page 2 of 4 01/12/2006

PIRANHA PRESS BRAKE

INSTALLATION, TRAINING, ACCEPTANCE AND WARRANTY REGISTRATION

	4. Operation		
	Press brake operates in all modes	Y	N
	CNC (optional) installed and functional	Y	N
Operator Training	 Receipt/Review of operators manual 	Y	N
	Equipment Identification and Demonstration		
	Mechanical	Y	N
	Electrical	Y	N
	CNC	Y	N
	Optional control systems	Υ	N
	3. Safety Warning signs and decals	V	M
	Point of operation guarding		N N
	Dual palm station	Y	N
	Equipment safety lockout	Y	N
	Implementation of safety procedures	Y	N
	Warning: overloading tooling	Y	N
	4. Operator Control Station Demonstration		
	Start/Stop push buttons	Υ	N
	Ram cycle modes	Y	N
	Ram cycle initiation means	Y	N
	Pressing speed control	Y	N
	Tonnage control (If applicable)	Y	N
	Ram return modes	Y	N
	Palm buttons	Y	N N
	Top of stroke settings Bottom of stroke settings		N
	Speed change settings	Y	N
	Bed tilt procedure	Y	N
	5. Optional controls & Accessories	-	
	Light curtain functions and adjustments	Υ	N
	Dual footswitch controls	Y	N
	Kwik Komp die holder	Υ	N
	Angles & bolsters	Y	N
	Power clamping systems	Y	N
	6. Tooling Installation		
	Recommended tonnage / bending chart	Y	N
	Tooling alignment	Y	N
	Seating the punch	Y	N N
	Shimming the die rail 7. Backgauge Alignment and Adjustments	I	IN
	Backstop bar alignment	Y	N
	Backgauge finger adjustment	Y	N
	8. CNC Backgauge control (if supplied)	=	
	Review manual	Υ	N
	Control orientation	Y	N
	Programming demonstration	Y	N

Page 3 of 4 01/12/2006

PIRANHA PRESS BRAKE

INSTALLATION, TRAINING, ACCEPTANCE AND WARRANTY REGISTRATION

Trial F	Production Run	<u>1. Pre</u>	<u>ss Brake Performance T</u>	<u>rial</u>			
			Trial bend acceptance		YN		
			Formed part acceptance	e	YN		
Additi	enance Review onal notes nty registration		rication Press brake component Backgauge components raulic Fluid Maintenance Hydraulic filter change in Hydraulic filter change in Hydraulic fluid change in Use back page Mailed or faxed to Piran	s as per manual terval orocedure nterval	Y N Y N Y N Y N Y N Y N		
vvaiia	inty registration		ivialled of laxed to Filali	ııa	ı		
	ng Received						
Name	(Please print clearly	/)	Signature		Date		
As part the follo		aining proc	edures of the Piranha identifie	d herein, the undersigned a	acknowledges and agrees to		
1)	Customer has received all manuals, instructions and training of personnel necessary for the safe operation, service and maintenance of the Piranha.						
2)	Customer will permit only trained personnel to operate, service and maintain the Piranha, all in accordance with Federal, State/Provincial and local Statutes, regulations and ordinance including, but not limited to all regulations mandated under current Federal and State Occupational and Safety Health Acts.						
3)	Customer will not remove from the Piranha, or conceal from view any signs, decals or plates affixed to the equipment without the express written consent of the seller						
4)	The installing dealer or	its repres	entative will fill out this Warran	ty registration and return it	via mail/fax to Piranha.		
Dealer I	Name:		Dealer Repres	sentative:			
	Date:		s	ignature:			
Customer Name:			Customer Repre	sentative:			
	Date:			Signature:INSTALLATION	& TRAINING ACCEPTED		
COMN	MENTS:						

Page 4 of 4 01/12/2006